MAY 15, 1964

#146-1055

SHORT FORM CATALOG and PRICE SCHEDULE

JCK and KS units are now

"VIX" equipped at NO extra cost!

"VIX" equipped at NO extra cost!

SM Group has improved specsand new low prices.

HB Group-at new low prices


NEW MODULAR SUPPLIES

NEW MODULAR SUPPLIES

VPAX Group are programmable

JPAX Group fixed output-low cost

JPRM Group-fixed output-low cost



KEPCO REGULATED POWER SUPPLIES

Repeating, N.Y. 11352

Phone: (212) IN 1-7000 • TWX #212-539-6623 • Cable: KEPCOPOWER NEWYORK

		DESIGN GROUP INDEX INDEX BY OUTPUT VO					UT VOLTAGE	
kepco e	MODEL	DC OUTPUT VOLTS	DC OUTPUT AMPS	PRICE*	SHIP WTG. (LBS.)	DC OUTPUT VOLTS	DC OUTPUT AMPS	G MODEL
		ALL-TRANS	SISTOR MO	DELS				
			-	\$ 179.00	10	0.0	0-1	ABC 2-1M
	ABC 2–1M ABC 7.5–2M	0-2	0-1	159.00	12	0-2		
REGULATED OC SUPPLY	ABC 10-0.75M	0-10	0-0.75	119.00	10	0-2	0-8	CK 2–8M
	ABC 15-1M	0—15	0-1	159.00	- 12	6	0-25	PRM 6-25
0.05% REGULATION	ABC 18-0.5M ABC 30-0.3M	0—18 0—30	0-0.5	119.00	10	0-7	0-1	PAX 7-1
	ABC 40—0.5M	0-40	0-0.5	159.00	12	0-7.5	0-2	ABC 7.5-2M
 Voltage or Current Regulation Continuous Full Range Control 		HYBR	ID MODEL	S		0-8	0-5	CK 8-5M
and Programming Wide Voltage Range	ABC 200M	0-200	0-0.1	199.00	12	0-8	0-15	KS-815M
Low Power Compacts	ABC 425M ABC 1000M	0-425 0-1000	0-0.05	199.00 274.00	12			
High Voltage Hybrid Models	ABC 1500M	0-1500	0-0.02		12	80	0-25	KS 8-25M
	ABC 2500M	0-2500	0-0.002	334.00	512	0-8	0—50	KS 8-50M
	OK 0. 9M	0.0	0 0	\$ 220.00	21	0—8	0—100	KS 8-100M
REGULATED DC SUPPLY	CK 2–8M CK 8–5M	0-2	0-8	\$ 330.00	21	0-10	0-0.75	ABC 10-0.75M
0.01% REGULATION	CK 18-3M	0—18	0-3	290.00	21	0-12	0-100	KO 12-100M
■ Voltage and Current Regulation	CK 36-1.5M	0-36	0-1.5	290.00	21	12	0-15	PRM 12-15
 ■ Automatic Crossover and VIX ▼ ■ Dual-Meter Compacts 	CK 40-0.8M CK 60-0.5M	0-40	0-0.8 0-0.5	255.00	21 21			
Dual-Weter Compacts	CIC GO GIGINI	0-00	0 0.0	230.00		0-14	0-0.75	PAX 14-0.75
		% REGULA	1	-		0-14	0-7	SM 14-7M
HB	HB 2M	0-325	0-0.2	\$270.00	35 40	0-14	0—15	SM 14-15M
REGULATED DC SUPPLY	HB 4M HB 6M	0-325 0-325	0-0.4	300.00	43	0-14	0-30	SM 14-30M
■ Hybrid (Vacuum Tube Pass	HB 8M	0-325	0-0.8	360.00	43	0-15	0-1	ABC 15—1M
Element)	0.0	1% REGUL	ATION MO	DELS	-	0-7.5-15	0-10	PR 15-10M
 Voltage or Current Regulation Full Range Control and 	HB 20M	0-325	0-0.2	\$470.00	35			
Programming	HB 40M HB 60M	0—325 0—325	0-0.4	500.00	40	0-15	0-30	PR 15-30M
	HB 80M	0-325	0-0.8	560.00	43	0-18	0-0.5	ABC 18-0.5M
				20-11-11-11		0—18	0-1	SC 18-1M
REGULATED DC SUPPLY	KO 12-100M	0-12		\$1,050.00	165	0-18	0-2	SC 18-2M
1% REGULATION	KO 25-50M KO 45-30M	0—25 0—45	0—50 0—30	950.00 850.00	165 165	0-18	0-3	CK 18-3M
■ Voltage and Current Regulation	KO 70-20M	0-43	0-20	950.00	165			
■ SCR Regulated — High Current						0-18	0-4	SC 18-4M
	KR 11M	0—150		\$ 210.00	43	0—18	0—10	KS 18-10M
REGULATED C SUPPLY	KR 1M KR 2M	100—200 195—325	0-0.125 0-0.125	120.00	28	0—18	0-15	KS 18-15M
	KR 9M	295-450	0-0.125		28	0-18	0-25	KS 18-25M
0.1 % REGULATION	KR 12M	0—150	0-0.3	300.00	50	0-18	0-50	KS 18-50M
■ Vacuum Tube Regulated	KR 3M KR 4M	100-200	0-0.3	210.00	46			
Continuously Adjustable	KR 10M	195—325 295—450	0-0.3	210.00	49	0-20	0—100	PR 20—100M
Voltage Range ■ Low Cost	KR 8M	0-150	0-0.6	360.00	68	0-21	0-0.5	PAX 21—0.5
- LOW GOSt	KR 5M	100-200	0-0.6	270.00	67	24	0-8	PRM 24-8
	KR 6M KR 7M	195—325 295—450	0-0.6	270.00	77	0-25	0-50	KO 2550M
		200 700	0-0.0			28	0-7	PRM 28-7
KS	KS 8-15M	0—8	0—15	\$ 595.00	45	0-30	0-0.3	ABC 30-0.3M
REGULATED DC SUPPLY	KS 8-25M	0-8	0-25	725.00	65 0F	Dual 0-32	0-1.5	
0.01 % REGULATION • Voltage and Current Regulation	KS 8-50M KS 8-100M	0-8	0—50 0—100	995.00 1,395.00	95 170	0-32	0-1.5	2SC 32-1.5
■ Automatic Crossover and VIX ▼	KS 18-100M	0-8	0-100	550.00	45	0-32	0-2.5	SC 32-2.5
Continuous Full Range Control and Programming	KS 18–15M	0-18	0-15	695.00	65	0-32	0-5	SC 32-5
Low Voltage, High Current	KS 18-25M	0—18	0-25	925.00	95	0-33	0-5	SC 33-5M
SCR Preregulated—Full Transistor Regulator	KS 18-50M	0-18	0-50	1,295.00	170	0-36	0-0.3	PAX 36-0.3
2 © KEPCO, INC. 1964								
							V	

	DESIGN GROUP INDEX					INDEX BY OUTPUT VOLTAGE			
kepco	MODEL	DC OUTPUT VOLTS	DC OUTPUT AMPS	PRICE*	SHIP WTG. (LBS.)	DC OUTPUT VOLTS	DC OUTPUT AMPS	MODEL	
	KS 36-5M	0-36	0-5	495.00	45	0-36	0—1	SC 36-1M	
	KS 36-10M	0-36	0-10	595.00	65	0-36	0-1.5	CK 36-1.5M	1
	KS 36—15M	0—36	0—15	795.00	95	0-36	0-2	SC 36-2M	_
2004	KS 36-30M	0-36	0-30	1,195.00	170		0-5	KS 36-5M	-
REGULATED TO SUPPLY	KS 60-2M	0-60	0-2	495.00 615.00	45	0-36			-
(Continued from Page 2)	KS 60-5M KS 60-10M	0-60	0-10	850.00	65 95	0-36	0-5	SM 36-5M	- = Pre = Co
	KS 60-20M	0-60	0-20	1,295.00	170	36	0-5	PRM 36—5	(Ga
						0-36	0-10	KS 36-10M	- # 0.0
PAX	PAX 7-1.	0-7	0-1	\$79.00	8	0-36	0-10	SM 36-10M	_ an
REGULATED TO DC SUPPLY	PAX 14— 0.75	0-14	0-0.75	79.00	8	0-36	0—15	KS 36-15M	- ''X _ \$2
0.05% REGULATION Versatile Compact Module	PAX 21-0.5	0-21	0-0.5	79.00	8	0-36	0-15	SM 36-15M	- φ2
 Voltage or Current Regulation Continuous Full Range Control 	PAX 36-0.3	0-36	0-0.3	79.00	8	0-36	0-30	KS 36-30M	
and Programming	PAX 72-0.15	0-72	0-0.15	79.00	8			PR 38–5M	-
					-	0-19-38	0-5		-
	± 1% LINI	0-7.5-15	ION 1-PHAS 0-10	SE INPUT \$ 345.00	50	0-38	0—15	PR 38-15M	
	PR 15—10M PR 15—30M	0-7.5-15	0-10	495.00	85	0-40	0-0.5	ABC 40-0.5M	1 - 1
	PR 38-5M	0-19-38	0-5	325.00	50	0—40	0-0.8	CK 40-0.8M	
	PR 38-15M	0-38	0-15	475.00	85	0-40	0-50	PR 40-50M	
REGULATED DC SUPPLY	PR 80-2.5M	0-40-80	0-2.5	325.00	45	0-45	0-30	KO 45-30M	
■ Line Voltage Regulator	PR 80-8M	- 0-80	0-8	450.00	85	48	0-4	PRM 48—4	
Continuous Full Range Voltage	PR 155-1M	0-78-155	0-1	325.00	40	0-50	0-40	PR 50-40M	-
Control	PR 155-4M	0-155	0-4	430.00	80				
Low Cost	PR 310-0.6M PR 310-2M	0-165-310	0-0.6	345.00 430.00	80	0-60	0-0.5	CK 60-0.5M	- 5
		E REGULAT		-	00	0-60	0-2	KS 60-2M	
	PR 20-100M	0-20		\$1,125.00	250	0-60	0-5	KS 60-5M	
	PR 40-50M	0-40	0-50	950.00	250	0-60	0-10	KS 60-10M	m Mu
	PR 50-40M	0-50	0-40	950.00	250	0-60	0-20	KS 60-20M	Tul
	PRM 6-25	6	0-25	\$119.00	28	0-70	0-20	KO 70-20M	− ■ Cor Vo
PRM REGULATED DC SUPPLY	PRM 12-15	12	0-15	119.00	28	0-72	0-0.15	PAX 72—0.15	- "
± 1% REGULATION	PRM 24-8	24	0-8	119.00	28	36-72	0-0.5	SC 3672-0.5M	
 Modular Package 	PRM 28-7	28	0-7	119.00	28				-
"Flux-O-Tran" Line RegulatorFixed Output	PRM 36-5	36	0-5	119.00	28	0-36-72	0-1	SC 3672-1M	-
Low Cost	PRM 48—4	48	0-4	119.00	28	0-75	0-2	SM 75-2M	l :
	0.1%	DECLUAT	ION MODE	19		0-75	0-5	SM 75-5M	_ ,
	SC 18-1M	0-18	0-1	\$ 305.00	22	0-75	0-8	SM 75-8M	4
	SC 18-2M	0-18	0-2	355.00	27	0-40-80	0-2.5	PR 80-2.5M	_
	SC 18-4M	0-18	0-4	480.00	43	0-80	8—0	PR 80-8M	1
(S.C)	SC 33-5M	0-33	0-5	600.00	59	Dual 0-100	0-0.2	2SC 100-0.2	• G
REGULATED TO SUPPLY	SC 36-1M	0-36	0-1	355.00	25	0-100	0-0.2		_ Gi
■ Voltage or Current Regulation	SC 36-2M	0-36	0-2	495.00	43	0—150	0-0.125	KR 11M	-1
Continuous Full Range Control	SC 3672-0.5M	36-72	0-0.5	380.00	25	0—150	0-0.3	KR 12M	
and Programming ■ All Transistor	SC 3672-1M	0-36-72	0-1	625.00	43	0—150	0-0.6	KR 8M	-
- All HallSISTUI		% REGULA		ELS	- 3-	0-78-155	0-1	PR 155—1M	-
	2SC 32—1.5 Dual Output	0—32 0—32	0—1.5 0—1.5	\$ 990.00	- 55	0-155	0-4	PR 155-4M	_ ,
	SC 32-2.5	0-32	0-1.5	550.00	42	0-160	0—1	SM 160-1M	
	SC 32-5	0-32	0-2.5	800.00	59	0-160	0-2	SM 160-2M	-
	2SC 100-0.2	0-32	0-0.2			0-160	0-4	SM 160-4M	
	Dual Output	0-100	0-0.2	750.00	57	0-200	0-0.1	ABC 200M	
3		100							
						-14			

er Continued Con

LTAGE		DES	DESIGN GROUP INDEX						INDEX BY OUTPUT VOLTAGE			
)EL	kepco	MODEL	DC OUTPUT VOLTS	OUTPUT AMPS	PRICE*	SHIP WGT. (LBS.)	DC OUTPUT VOLTS	DC OUTPUT AMPS	MODEL			
		SM 14-7M	0-14	0-7	\$385.00	48	100-200	0-0.125	KR 1M			
-1M	SM	SM 14-15M	0-14	0-15	495.00	70	100-200	0-0.3	KR 3M			
-1.5M	REGULATED DC SUPPLY	SM 14-30M SM 36-5M	0—14 0—36	0-30 0-5	690.00 375.00	110 48	100-200	0-0.6	KR 5M			
-2M	REGULATION	SM 36-10M	0-36	0—10	495.00	70	0-300	0-0.075	103			
_5M	Line: 0.01% Load: 0.05%	SM 36-15M SM 75-2M	0—36 0—75	0-15 0-2	595.00 395.00	110 48	0-300	0-0.075	Unregulated			
5—5M	■ Preregulating Transformer	SM 75-5M	0-75	0-5	495.00	70	0-165-310	0-0.6	PR 310=0.6M			
36—5	Continuous Voltage Control (Ganged Autotransformer)	SM 75-8M	0-75	0-8	595.00	110	0-310	0-2	PR 310-2M.			
_10M	■ All Transistor	SM 160-1M SM 160-2M	0—160 0—160	0-1 0-2	395.00 495.00	48	0-165-325	0-0.5	SM 325-0.5M			
6-10M	 0.01% Load Regulation and Stability; add suffix 	SM 160-4M	0-160	0-4	595.00	110	0-325	0-0.2	HB 2M			
_15M	"X" to model no. and	SM 325-0.5M	0-165-325	0-0.5 0-1	415.00	48	0-325	0-0.4	HB 4M			
5—15M	\$200.00 to price.	SM 325-1M SM 325-2M	0—325 0—325	0-1	525.00 635.00	70	0-325	0-0.6	HB 6M			
							0-325	0-0.8	HB 8M			
6-30M		2400 B #1	Bias 0—150	0-0.005	\$ 540.00	107	0-325	0-1	SM 325 – 1M			
_5M		#2 #3 Parallel #2 & 3 Series #2 & 3	0-400 0-400 0-400 0-800	0—0.15 0—0.15			0-325	0-2	SM 325 –2M			
_15M ==	REGULATED # DC SUPPLY						195—325	0-0.125	KR 2M			
40-0.5M				0-0.3 0-0.15			195—325	0-0.3	KR 4M			
M8.0—(195—325	0-0.6	KR 6M			
_50M		400 B	0-400 Bias	0-0.15	270.00	50	0-400 0-150 bias	0—0.15 0—0.005	400B			
5—30M			0—150	0-0.005			0-400	0-0.15	2400B			
48—4		• 430 D #1	0-450	0-0.3	\$ 675.00	132	0-400 0-150 bias	00.15 00.005	Multiple Output			
_40M		#2 Parallel #1 & 2	0—450 0—450	0-0.3 0-0.6			0-425	0-0.05	ABC 425M			
)—0.5M		Series #1 & 2	0-900	0-0.3			295-450	0-0.125	KR 9M			
-2M		• 800 B #1	0-600	0-0.2	575.00	138	295-450	0-0.3	KR 10M			
_5M	0.1 % REGULATION	#2	0-600	0-0.2			295-450		KR 7M			
_10M	■ Multiple Output, Vacuum	Parallel #1 & 2	0-600	0-0.4				0-0.6				
_20M	Tube Regulated Continuous Full Range	Series #1 & 2	0—1200	0-0.2			0-450 0-450	0-0.3 0-0.3	430D Multiple Output			
-20M	Voltage Control	• 605	0-600	0-0.5	425.00	119	0-600	0-0.3	615B			
72—0.15			Bias 0-150	0-0.005			0-150 bias	0-0.005	010B			
72-0.5M		• 615B	0-600	0-0.3	355.00	74	0-600 0-600	0-0.2	800B			
72—1M		0135	Bias	0-0.3	355.00	14		0-0.2	Multiple Output			
	Ganged Autotransformer	3.7	0-150	0-0.005			0-600 0-150 bias	0-0.5 0-0.005	605			
5M		103 #1	0-300	0-0.075	129.00	30	0—1000	0-0.02	ABC 1000M			
		Unregulated #2	0-300	0-0.075			0-1000	0-0.5	1250B			
_2.5M		#3 Parallel #1 & 2	-50 to +50 0-300	0—0.005 0—0.15	-		0-1200	0-0.05	1220C			
_8M					670.00	000	0-1500	0-0.005	ABC 1500M			
00-0.2		• 1250 B • 1220 C	0—1000	0-0.5	650.00 465.00	203	0-1500	0-0.2	1520B			
M			0—1200	0-0.2	695.00	204	0-2000	0-0.5	HB 2050			
M		• 1520 B • HB 2050	0-2000	0-0.2	1,565.00	225	0-2500	0-0.002	ABC 2500M			
1		• HB 2500	0-2500	0-0.05	975.00	85	0-2500	0-0.05	HB 2500			
5—1M		THE 2000	0-2500	0-0.05	3/3.00	00	0-2500	0.00	110 2000			

★ PRICES for all models with suffix "M" include meters. To specify unmetered model: delete suffix "M" and deduct \$30.00 from price, except ABC models.

160-1M

1160-2M 1160-4M C 200M FOR ABC MODELS: Price includes volt/amp meter. Delete suffix "M" and deduct \$20.00 from price, except Models ABC 1000, ABC 1500 and ABC 2500; voltmeter only – deduct \$15.00. SC 0.01% and WR models, meters standard (except model 103).

RACK ADAPTERS available as follows: ABC and CK Groups: RA-5 for single or RA-4 for 2 units, SC Group: RA-3 for single or RA-2 for 2 units.

▼ VIX—The designation VIX means that such a power supply has front panel mode indicating lights (one for current and one for voltage) plus externally available signal occurring at the automatic cross-over point.



N. Y. METROPOLITAN AREA and Northern New Jersey EASTERN INSTRUMENTATION, INC. 350 Northern Blvd., Great Neck, N.Y. 11021 N.Y. Phone: (516) 466-9505 N.J. Phone: (201) 779-1234

2 TRUMBULL, CONNECTICUT RAY PERRON & COMPANY, INC. 36 Louis Street, Trumbull, Conn. 06611 (203) AM 8-9631

FARMINGTON, CONNECTICUT RAY PERRON & COMPANY, INC. 10 Briarwood Road, Farmington, Conn. 06032 (203) OR 7-9025

- 3 BOSTON, MASSACHUSETTS
 RAY PERRON & COMPANY, INC
 1870 Centre Street, Boston, .. ass. 02132
 (617) FA 3-1008 TWX #617-325-8627
- MANCHESTER, NEW HAMPSHIRE
 RAY PERRON & COMPANY, INC.
 19 Caron Road-Bedford, RFD #2
 Manchester, N.H. 03102
 (603) 472-4091 TWX #603-472-3960
- MACO ELECTRONICS CORP. 2631 Edgewood Road, Utica; N.Y. 13501 (315) RE 2-1801



KEPCO, INC.

131-38 SANFORD AVENUE, FLUSHING, N.Y. 11352

Phone: (212) IN 1-7000 • TWX #212-539-6623

Cable: KEPCOPOWER NEWYORK

- 6 SYRACUSE, NEW YORK NACO ELECTRONICS CORP. 119 Luther Avenue, Liverpool, N.Y. 13088 (315) GR 4-7481 — TWX #315-477-1090
- PINGHAMTON, NEW YORK
 NACO ELECTRONICS CORP.
 4677 Vestal Pkway., East,
 Binghamton, N.Y. 13903 (607) 729-6641
- 8 ROCHESTER, NEW YORK NACO ELECTRONICS CORP. 74 Park Avenue, Rochester, N.Y. 14450 (716) GR 3-4169
- PHILADELPHIA, PENNA.
 EASTERN INSTRUMENTATION INC.
 613 Cheltenham Avenue, Philadelphia, Pa. 19126
 (215) WA 7-6269
- WASHINGTON, D. C. S. S. LEE ASSOCIATES, INC. 2521 Ennalls Avenue, Wheaton, Md. 20902 (301) 949-4800 — TWX #301-949-6786
- WINSTON SALEM, N. C. S. S. LEE ASSOCIATES, INC. P.O. Box 906, Winston Salem, N.C. 27101 (919) 724-2406
- ORLANDO, FLORIDA
 S. S. LEE ASSOCIATES, INC.
 P.O. Box 7896, Orlando, Fla. 32804
 (305) 241-4445 TWX #305-275-1732
- HUNTSVILLE, ALABAMA
 S. S. LEE ASSOCIATES, INC.
 P.O. Box 1506, Huntsville, Ala. 35807
 (205) 881-0461

See our complete

eer

Catalog in

PAGES V

CINCINNATI, OHIO
THE SATULLO COMPANY
518 Cincinnati-Batavia Pike, Cincin
(513) 752-6683

CLEVELAND, OHIO
THE SATULLO COMPANY
168 11 Fuclid Avenue, Cleveland, Ohio 44112

Control Michigan
The Satulto Company
4512 N. Woodward Ave., Royat (313) 1.19-3910

THE AGO, ILL DIS LANG, CLAESON & ASSOCIATES 6733 North ed Avenue, vicago, III. 60631 (312)-SP 4- TWX #312-265-1433

ST. LOUIS, MISSOURI NORMAN W. KATHRINUS & CO. .. ANY 427 Brentwn 3lvd., Ct. is, Mo. 63144 214) WO

E. C. ELECTRONIC SALES 10108 Abbot Ave., So., Minneapolis, Minn. 55431 (612) 888-0102 — TWX #612-292-4195

KANSAS CITY, KANSAS NORMAN W. KATHRINUS & COMPANY 4306 Cambridge Avenue, Kansas City, Kan. 66103 (913) JO 2-4108

DALLAS, TEXAS
AIREP ENGINEERING COMPANY
P.O. Box 9555, Dallas, Texas 75214
(214) TA 4-3800

HOUSTON, TEXAS
AIREP ENGINEERING COMPANY
P.O. Box 36211, Houston, Texas 77036
(713) GY 4-2260

ALBUQUERQUE, NEW MEXICO
V. T. RUPP COMPANY
1437 San Mateo Blvd., N.E., Albuquerque, N.M. 87124
(505) 256-0798 — TWX #505-243-8409

DENVER, COLORADO
D. E. BOND ASSOCIATES
5670 East Evans, Denver, Colo. 80222
(303) 756-1234

SAN DIEGO, CALIFORNIA
V. T. RUPP COMPANY
3445 Fifth Avenue, San Diego, Cal. 92103
(714) CY 8-9835 — TWX #714-291-0736
In Arizona: Call Phoenix Enterprise 1-234

V. T. RUPP COMPANY
307 Parkman Avenue, Los Angeles, Cal. 90026
(213) DU 7-8224 — TWX #213-380-8840

SAN FRANCISCO, CALIFORNIA
V. T. RUPP COMPANY
1182 Los Altos Avenue, Los Altos, Cal. 94022
(415) 948-1483 — TWX #415-949-7950

28 SEATTLE, WASHINGTON HARRY LEVINSON COMPANY 1211 East Denny Way, Seattle, Wash. 98122 (206) EA 3-5100 — TWX #206-998-1047

IN CANADA

TORONTO, CANADA
ATLAS INSTRUMENT CORPORATION
Division of Atlas Electronics Limited
50 Wingold Avenue, Toronto 19, Canada
(416) RU 1-6174 — Telex 02-2319

MONTREAL, QUEBEC
ATLAS INSTRUMENT CORPORATION
Division of Atlas Electronics Limited
3333 Cavendish Blvd., Montreal, Quebec
(514) HU 9-8495 — Telex 01-2141

OTTAWA, ONTARIO
ATLAS INSTRUMENT CORPORATION
Division of Atlas Electronics Limited
342½ Elgin Street, Ottawa, Ontario
(613) CE 3-9471

WANCOUVER, B. C.
ATLAS INSTRUMENT CORPORATION
Division of Atlas Electronics Limited
909 Beach Avenue, Vancouver, B.C.
(604) MU 4-7927

LITHO IN U.S.A.